



TH400


TH400





20 t/h

SL150



IVECO Motore Diesel 175 HP - Diesel engine 175 HP - Moteur Diesel 175 HP - Dieselmotor 175 HP
 Motor Diesel de 175 HP - Motor a Diesel da 175 HP - Двигатель 175 л.с.

DIMENSIONI - DIMENSIONS - ABMESSUNGEN - Габариты

Peso - Weight - Poids - Gewicht - Peso - Peso - Вес	(kg - kr)	9800
Lunghezza - Length - Longueur - Länge - Longitud - Comprimento - Длина	(m)	9,90
Larghezza - Width - Largeur - Breite - Anchura - Largura - Ширина	(m)	2,54
Altezza - Height - Hauteur - Höhe - Altura - Altura - Высота	(m)	3,50
Carreggiata - Gauge - Voie - Spurweite - Rodadas - Rodadas - Ширина колес	(m)	1,60
Pneumatici - Tyres - Pneus - Reifen - Neumáticos - Pneus - Шины		425/75 R20
Alt. scarico pom. - Tomato unloading height - Hauteur de déchargement tomates - Abladehöhe Tomaten		
Altura descarga tomates - Altura descarga tomates - Высота разгрузки томатов	(m)	3,50
Color Sorter - Устройство для сортировки по цвету	(chan. - can. - канал)	30
Capacità di raccolta - Harvesting capacity - Capacité de récolte - Sammelvermögen		
Capacidad de cosecha - Capacidade de colheita - Производительность	(Ton/h - т/ч)	oltre - более 20



35 t/h


SL 350



IVECO Motore Diesel 175 HP - Diesel engine 175 HP - Moteur Diesel 175 HP - Dieselmotor 175 HP
Motor Diesel de 175 HP - Motor a Diesel da 175 HP - Двигельный двигатель 175 л.с.


DIMENSIONI - DIMENSIONS - ABMESSUNGEN - Габариты

Peso - Weight - Poids - Gewicht - Peso - Peso - Вес	(kg - кг)	10000
Lunghezza - Length - Longueur - Länge - Longitud - Comprimento - Длина	(m)	9,90
Larghezza - Width - Largeur - Breite - Anchura - Largura - Ширина	(m)	2,90
Altezza - Height - Hauteur - Höhe - Altura - Altura - Высота	(m)	3,50
Carreggiata - Gauge - Voie - Spurweite - Rodadas - Rodadas - Ширина колес	(m)	1,60
Pneumatici - Tyres - Pneus - Reifen - Neumáticos - Pneus - Шины		425/75 R20
Alt. scarico pom. - Tomato unloading height - Hauteur de déchargement tomates - Abladehöhe Tomaten		
Altura descarga tomates - Altura descarga tomates - Высота разгрузки томатов	(m)	3,50
Color Sorter - Устройство для сортировки по цвету	(chan. - can. - канал)	40
Capacità di raccolta - Harvesting capacity - Capacité de récolte - Sammelvermögen		
Capacidad de cosecha - Capacidade de colheita - Производительность	(Ton/h - т/ч)	oltre - более 35



40 t/h

TH 400



Motore Diesel 193 HP - Diesel engine 193 HP - Moteur Diesel 193 HP - Dieselmotor 193 HP
 Motor Diesel de 193 HP - Motor a Diesel da 193 HP - Двигатель 193 л.с.


DIMENSIONI - DIMENSIONS - ABMESSUNGEN - Габариты

Peso - Weight - Poids - Gewicht - Peso - Peso - Вес	(kg - кг)	10000
Lunghezza - Length - Longueur - Länge - Longitud - Comprimento - Длина	(m)	9,90
Larghezza - Width - Largeur - Breite - Anchura - Largura - Ширина	(m)	2,90
Altezza - Height - Hauteur - Höhe - Altura - Altura - Высота	(m)	3,50
Carreggiata - Gauge - Voie - Spurweite - Rodadas - Rodadas - Ширина колес	(m)	1,60
Pneumatici - Tyres - Pneus - Reifen - Neumáticos - Pneus - Шины		425/75 R20
Alt. scarico pom. - Tomato unloading height - Hauteur de déchargement tomates - Abladehöhe Tomaten		
Altura descarga tomates - Altura descarga tomates - Высота разгрузки томатов	(m)	3,50
Color Sorter - Устройство для сортировки по цвету	(chan. - can. - канал)	40
Capacità di raccolta - Harvesting capacity - Capacité de récolte - Sammelvermögen		
Capacidad de cosecha - Capacidad de colheita - Производительность	(Ton/h - т/ч)	oltre - более 40



50 t/h

TH 500



Motore Diesel 193 HP - Diesel engine 193 HP - Moteur Diesel 193 HP - Dieselmotor 193 HP
 Motor Diesel de 193 HP - Motor a Diesel da 193 HP - Двигельный двигатель 193 л.с.


DIMENSIONI - DIMENSIONS - ABMESSUNGEN - Габариты

Peso - Weight - Poids - Gewicht - Peso - Peso - Вес	(kg - кг)	11000
Lunghezza - Length - Longueur - Länge - Longitud - Comprimento - Длина	(m)	9,90
Larghezza - Width - Largeur - Breite - Anchura - Largura - Ширина	(m)	3,10
Altezza - Height - Hauteur - Höhe - Altura - Altura - Высота	(m)	3,50
Carreggiata - Gauge - Voie - Spurweite - Rodadas - Rodadas - Ширина колес	(m)	1,60
Pneumatici - Tyres - Pneus - Reifen - Neumáticos - Pneus - Шины		425/75 R20
Alt. scarico pom. - Tomato unloading height - Hauteur de déchargement tomates - Abladehöhe Tomaten		
Altura descarga tomates - Altura descarga tomates - Высота разгрузки томатов	(m)	3,50
Color Sorter - Устройство для сортировки по цвету	(chan. - can. - канал)	50
Capacità di raccolta - Harvesting capacity - Capacité de récolte - Sammelvermögen		
Capacidad de cosecha - Capacidade de colheita - Производительность	(Ton/h - т/ч)	oltre - болсе 50



60 t/h

THX






Motore Diesel 193 HP - Diesel engine 193 HP - Moteur Diesel 193 HP - Dieselmotor 193 HP
Motor Diesel de 193 HP - Motor a Diesel da 193 HP - Двигатель 193 л.с.

DIMENSIONI - DIMENSIONS - ABMESSUNGEN - Габариты

Peso - Weight - Poids - Gewicht - Peso - Peso - Вес	(kg - кг)	11500
Lunghezza - Length - Longueur - Länge - Longitud - Comprimento - Длина	(m)	10,150
Larghezza - Width - Largeur - Breite - Anchura - Largura - Ширина	(m)	3,40
Altezza - Height - Hauteur - Höhe - Altura - Altura - Высота	(m)	3,50
Carreggiata - Gauge - Voie - Spurweite - Rodadas - Rodadas - Ширина колес	(m)	1,75
Pneumatici - Tyres - Pneus - Reifen - Neumáticos - Pneus - Шины		500/60 R22,5
Alt. scarico pom. - Tomato unloading height - Hauteur de déchargement tomates - Abladehöhe Tomaten		
Altura descarga tomates - Altura descarga tomates - Высота разгрузки томатов	(m)	3,50
Color Sorter - Устройство для сортировки по цвету	(chan. - can. - канал)	50
Capacità di raccolta - Harvesting capacity - Capacité de récolte - Sammelvermögen		
Capacidad de cosecha - Capacidade de colheita - Производительность	(Ton/h - т/ч)	oltre - более 60












S3000 S3500 S4000 S4500 S5000



© 11-2013
Copyright by MTS
Pontenure - Piacenza - Italy

Total or partial reproduction of the present document can only be made under written permission by MTS.
Part of technology presented in this brochure is patented.
MTS, whose policy is to continuously improve its products, reserves the right to discontinue or change specifications, models or design without notice and without incurring any obligation.

G.L. Comunicazione - Printed in Italy




MTS s.r.l.


Via Giulio Natta, n. 25/25A
29010 Pontenure (PC)

Italy

Phone (39) 0523 516.700

Fax (39) 0523 516.790

 (39) 346 886.7330

 (39) 335 705.6583

Web: mts-sandei.com

Mail: info@mtssrl.com